



DESIGN ELEMENTS

NMC COPLEY 2019


02

### COPLEY CLASSICS



DESIGN ELEMENTS

DESIGNS TO MEET BOTH MODERN AND TRADITIONAL STYLES




(N.B. All sizes are nominal and intended as a guide only)

Fix with Decor-Grip and Decor-Grip Plus

TEL: 01969 623410 FAX: 01969 624398 EMAIL: sales@nmc-copley.co.uk

### **COPLEY CLASSICS**



### **COVING & CORNICE**








ANNA
3.0 m & 2.44 m
3 metre only supplied in 4
and above quantities



















CARLOTTA/WT15 2.44m







CATRINA 2.4m







NATASHA 2.4m

OCEANINA 2.4m







SASKIA 2.44m

SASHA 2.4m



### COVING & CORNICE

DECORATIVE & EASY TO INSTALL









### FEATURE CORNERS

DECORATIVE & EASY TO INSTALL



SMALL PLAIN





XL & LARGE PLAIN



### MOULDED CORNICE CORNERS, INTERNAL AND EXTERNAL

XL corners to suit Anthea Cornices. Large plain to suit Nina, Coppelia, Dana and Anna. Small plain suits Natasha, Sasha and Siena.

Small plain =  $7.5 \times 8$  cm Large plain =  $10 \times 10$  cm  $XL = 12 \times 12.5$ cm

(N.B. All sizes are nominal and intended as a guide only)
Feature corners do not match the profile of the coving




### ART DECO COLLECTION

NMC OFFERS YOU 9 POSSIBILITIES FOR STYLISHLY TRANSFORMING YOUR ROOM

The AD21, WT22 & AD23 can be positioned in one direction or the other according to your choice. These products have been designed to enhance any type of space, from the largest to the smallest.






WT26/JESSICA 2.44m


(N.B. All sizes are nominal and intended as a guide only)

PRESTIGE & QUALITY 2.0M COVING












PRESTIGE & QUALITY 2.0M COVING











PARTICULAR FEATURES

• Arstyl® Flex available in some references.

MATERIALS • High density polyurethane PROFILE • 2m



### LIGHTING SOLUTIONS

LIGHTING SOLUTIONS - QUICK & EASY A PRACTICAL, DECORATIVE SOLUTION



H 70 x W 50mm

#### ARSTYL® IL2

H 105 x W 50mm









WALLSTYL® WT3



 Profiles IL1, IL2,IL3 & IL4 have been specifically designed to be used in conjunction with LED lighting, each design has a unique shelf to support LED strips.



WALLSTYL® WT4



• You can install the L1, L2, L4 & L5 mouldings horizontally or vertically to hide cracks, cables, pipes or any unsightly features.

PROFILE LENGTH • WT3, WT4 - 2m and 2.44m • IL1, IL2, IL3, IL4 - 2m • L1, L2, L3, L4, L5 - 2m



ARSTYL® L1 H 150 x W 150mm



H 200 x W 250mm



H 175 x W 145mm



H 100 x W 100mm



H 200 x W 200mm

# ARCHITRAVE

### PANEL MOULDINGS

ADD A TOUCH OF STYLE TO YOUR DECOR



AMELIA/WL1

20 x 20cm


AMELIA PANEL MOULDINGS 2.4m
AND AMELIA PANEL CORNER Packs of 4






### **ARCHITRAVE**

ANIKA/WL6 2.44m CAN ALSO BE USED







### DADO/PANEL

DECORATIVE & EASY TO INSTALL

(N.B. All sizes are nominal and intended as a guide only)



NICOLA 2.4 m





Z1550 2.0m





DEBRA 2.4 m



Z13 2.0 m



#### **TECHNICA**

#### MATERIALS HDPS

#### MANUFACTURING PROCESS

- A technology patented by NMC, the High Definition Poly System (HDPS) delivers leading-edge architectural designs. Polymer extrusion makes it possible to manufacture a moulding under the effect of the heat and by the
- addition of an ecological propellant gas.

  The moulding and chair-rails are pre-coated with a base layer from a non toxic satin matt acrylic primer applied by spray.
- These products contain neither CFC's or HCFC's.

#### **PROPERTIES**

- Resistance to deformation, exceptional dimensional definition.
- The acrylic primer assures optimal adhesion of the finishing coat.
  Surface tough, smooth and with precise edges.
  Gluing surfaces grooved to offer optimum bonding.

#### SURFACE WORK

The mouldings and chair-rails are primed to allow direct application of most paints.

### **CEILING ROSES**

FIX WITH COPLEY DECOR-GRIP ADHESIVE. ONE CARTRIDGE WILL FIT APPROXIMATELY ONE TO FOUR ITEMS ACCORDING TO SIZE





LAURA/R24 77cm



ALANNA 74cm



FRANCESCA 71cm



PANDORA 70cm



HELENA R11 66cm



ANNUSKA 61cm



### **CEILING ROSES**

FIX WITH COPLEY DECOR-GRIP ADHESIVE. ONE CARTRIDGE WILL FIT APPROXIMATELY ONE TO FOUR ITEMS ACCORDING TO SIZE







MELENNIA/R9 53cm



IMELDA 52cm



ARABELLA 51.5cm



VALENCIA 51cm



FLAVIA 45cm



ANDRINA 40cm



SARA/R1520 40cm



AVA 30cm



CARLA/R1517 30cm

### **CEILING CENTRES**

# 3 DIMENSIONAL CEILING CENTRES



CR5
Diameter 55cm • Depth 6cm



CS5
Diameter 55cm • Depth 6cm





R12 Ø82.5cm



R20 Ø75.5cm



R18 Ø60cm



R10 Ø60cm



R51 Ø59cm

### **CEILING CENTRES**

#### **ARSTYL®**



R23 Ø51.5cm



R8 Ø49.5cm



R5 Ø40cm



R6 Ø42cm



R14 Ø34cm



R4 Ø30cm

#### **TECHNICAL DATA:**

#### **MATERIALS**

• High Density Polyurethane

#### MANUFACTURING PROCESS

- Injection moulding made from two constituents
- The products are pre-coated with a base layer from a non-toxic satin matt acrylic primer applied by spray outer surface reinforced with a synthetic foil
- These products contain neither CFC's or HCFC's

#### SURFACE WORK

• Can be painted with any interior paint

#### **PROPERTIES**


- Very precise patterns and structure, with exceptional resistance to breaking and shocks
- The acrylic primer assures optimal adhesion of the finished coat
- Exposed surface reinforced with a synthetic film and coated in a matt white acrylic primer
- Rough back surface to offer optimum bonding

### **WALL PANELS**

# A NEW WALL DECORATING EXPERIENCE

The ARSTYL® range for all and ceiling embellishments has now taken it's passion for decoration to a whole next level and proudly presents its Wall Panels. These new generation wall decorations will give your interior a highly inspired new look, neat structure or a coloured relief design.







### WALL PANELS



#### **BUMP**

1135 x 380 0.44m²/pce Max thickness 43mm




Max thickness 28mm

#### **ICON**

1135 x 380 0.43m²/pce Max thickness 45mm

#### LIQUID

1135 x 380 0.43m<sup>2</sup>/pce






Fix with **Decor-Grip Plus - 1 tube = 3 panels** 

ARSTYL WALL PANELS





#### STONE

1130 x 375 0.40m²/pce Max thickness 38mm

#### **STRIPE**

1135 x 380 0.43m<sup>2</sup>/pce Max thickness 38mm

> COMBINABLE WITH




### WAVE

1135 x 380 0.43m<sup>2</sup>/pce Max thickness 18mm




(N.B. All sizes are nominal and intended as a guide only)

Fix with Decor-Grip Plus - 1 tube = 3 panels



Only available in quantities of 5 lengths and above or full cartons (N.B. All sizes are nominal and intended as a guide only)



#### **MATERIALS**

• Extruded polystyrene

#### MANUFACTURING PROCESS

- Extrusion of the polystyrene (thermoplastic) which allows a moulding to be manufactured under the effect of the heat and by the addition of an ecological
- propellant gas.
  The mouldings are made from extruded polyethylene.

#### **TECHNICAL DATA:**

These products are not produced with CFC's or HCFC's.

#### **PROPERTIES**

- Very good dimensional stability and exceptional precision in the design detail, credited to the continuous extrusion process and the high density.
- · Visible surface tough, smooth and with precise edges.

· Gluing surfaces grooved to offer optimum bonding.

#### SURFACE WORK

• To paint Nomastyl® products use solvent free acrylic or latex paints.

#### PROFILE LENGTH

• 2m



### **ACCESSORIES**

### MITRE BOXES

#### AD MITRE BOX

- For mouldings with a wall height of up to 28cm (11")
- Made out of plywood (w40 x h32 x d12cm)
- 2 adjustable brackets
- Cutting angles: 45°, 22.5°, 67.5° and 90°







#### VARIO MITRE BOX

- For mouldings with a wall height of up to 17.5cm (6<sup>7</sup>/<sub>8</sub>")
- Made out of plywood with reinforced metal (w40 x h32 x d12cm)
- Cutting angles: 25°, 36°, 30°, 22.5°, 0° or 90°

#### **ADHESIVES**

#### DECOR-GRIP ADHESIVE



#### DECOR-GRIP PLUS ADHESIVE






# Pro-Cove lite

### Faster than plaster

Pro-Cove lite - Lightweight Trade Coving

- FASTER THAN PLASTER Up to 3 times quicker to install
- LIGHT Lightweight for one person fixing
- Fully paintable with no need to prime
- QUALITY Smooth paper faced precision finish
- TOUGH Modern high density polymer resists knocks





### **NOMA® INSULATION**





Polystyrene insulating layer bonded with cardboard for thermal Reduces heating costs and eases the application of wall-coverings.





\*Regarding a wall thickness of 23cm



Insulation and wallpaper in one product. Thermal wall insulation covered with a layer of wallpaper.

<b>—</b>		D
4 mm	0,50 x 10 m	13 R 6 R

### INSTALLATION

#### INSTALLATION INSTRUCTIONS

- 1 Using the marking line, mark the dimension along the perimeter of the room
- 2 Set the Mitre Box to the "wall height" of your moulding using the two reglets. The vertical wall of the mitre box represents the wall, and the bottom of the ceiling













- 3 Cutting the left-hand angle 4 Cutting the right-hand angle
- 4 Cutting the right-hand angle
  Apply Decor-Grip or Plus to coving edge
- 5 Fixing left hand angle
- 6 Fixing right hand angle
  Fill joint with Decor-Grip joint adhesive

Full and detailed installation instructions available to download on: www.copleydecor.co.uk

### INSTALLATION

#### **CEILING CENTRE INSTRUCTIONS**

- 1 When Installing a lamp be sure to cut a suitable
- hole in the centre

  2 Apply the Decor-Grip on the surfaces to be glued

  3 Fill the joint with Decor-Grip adhesive-filler

- 4 Press to squeeze out any surplus adhesive 5 Remove any excess adhesive and clean promptly with a damp sponge















DISTRIBUTED BY:









